
1/20



Biomek Set-up

FIGURE 1

Filing Date: Herewith
Attorney Client-Matter No.: 66663-064

2/20
Genewriter - Oligonucleotide Pooling Plan

F-A1	F-A2			F-A3				F-A4			F-A5			٠
***	R-A1		. ——	R-A2			R-A3			R-A4		R	-A5	
	1	2	3	4	5	6	7	8	9	10	11	12		
Α	0	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		\bigcirc	\bigcirc		
8		\bigcirc	\bigcirc	\bigcirc	\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		
C		\bigcirc		\bigcirc	\bigcirc		\bigcirc	\bigcirc		\bigcirc	\bigcirc			
٤		\bigcirc	\widetilde{O}	\widetilde{O}	\bigcirc									
F	O	Ŏ	Ŏ	Ŏ	Ŏ		Ŏ	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ		7-
G		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		
Н		\bigcup	$\frac{\bigcirc}{}$	$\frac{O}{C}$	$\frac{O}{C}$	$\overline{}$	$\frac{\bigcirc}{}$		$\frac{\bigcirc}{}$	$\frac{\bigcirc}{}$	\bigcup	\bigcirc		
	1	2	3	4	5	6	7	8	9	10	11	12		
Α		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		
В		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	0		
· C		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		
Ε		\bigcirc	\mathcal{O}	\bigcirc	\bigcirc	$\bigcup_{i=1}^{n}$		$\bigcup_{i=1}^{n}$	\bigcirc		$\bigcup_{i=1}^{n}$	\mathcal{C}		
F	Ŏ	$\check{\bigcirc}$	$\widetilde{\bigcirc}$	\bigcirc										
G		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		
Н		$\frac{\bigcirc}{}$	$\frac{\bigcirc}{}$	$\frac{O}{C}$	$\frac{\bigcirc}{}$	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		




FIGURE 3




FIGURE 4




FIGURE 5







FIGURE 6


7/20







8/20






FIGURE 10


Title: METHOD FOR ASSEMBLY OF A POLYNUCLEOTIDE ENCODING A TARGET POLYPEPTIDE

Inventor: Glen A. Evans Filing Date: Herewith Attorney Client-Matter No.: 66663-064

10/20

Genewriter Platform Design 8 x 96 well plates addressed with 16 piezioslectno nanovolume dispense heads; One wash/dry station and one additional plate station. 8 plate evacuated by a single vacuum station.

Capacity of 8 x 96 = 788 oligos/run




Filing Date: Herewith
Attorney Client-Matter No.: 66663-064

11/20

Genewiter Platform Design - High Capacity Mode 8 x 1536 well microssesy pietes addressed with 18 plezipelectric nanovolume dispense heads; One wash/dry station and one additional plate section, 18 plates evacuated by a single vacuum station.


Capacity of 8 x 1536 = 12,288 oilgos/run




Title: METHOD FOR ASSEMBLY OF A POLYNUCLEOTIDE ENCODING A TARGET POLYPEPTIDE


Inventor: Glen A. Evans Filing Date: Herewith Attorney Client-Matter No.: 66663-064


12/20




13/20









Filing Date: Herewith
Attorney Client-Matter No.: 66663-064

15/20

Bidirectional primer extension strategy for gene assembly




FIGURE 16

16/20 System Diagram for Genewriter




FIGURE 17

Title: METHOD FOR ASSEMBLY OF A POLYNUCLEOTIDE ENCODING A TARGET POLYPEPTIDE

Inventor: Glen A. Evans Filing Date: Herewith Attorney Client-Matter No.: 66663-064

17/20

Perspective view of Genewriter Instrument

Genewriter diagram




FIGURE 18

18/20

Generation of self-assembling oligonucleotide arrays Option 1




FIGURE 19

19/20

Assembly of Self assembling oligonucleotide arrays Option 1




FIGURE 19 (continued)

20/20

Generation of self-assembling oligonucleotide arrays




FIGURE 19 (c ntinued)